


**King Long XMQ6706 – 21 seats**




<b>Specification</b>	
<b>Dimensions</b>	Overall length (mm): 7000
	Overall width (mm): 2050
	Overall height (mm): 2780 (2910 with AC) (3000 with roof luggage rack)
	Wheel base (mm): 3935
	Weight (kg) : 4100
	Minimum ground clearance (mm): 210
<b>Speed</b>	Maximum speed : 110 km/h
<b>Engine</b>	Cummins EQB 125-20,Euro II, 4 cylinders in line , Displacement 3.9 L Rated power/speed (kw/rpm) : (125ps) 92/2800 Maximum Torque/speed (N.m/rpm) : 410/1500
<b>Transmission</b>	5-speed manual gearbox,5 forward and 1 reverse,2 soft shaft gear shift
<b>Clutch</b>	Monodisc clutch
<b>Axles</b>	Hefei front & rear axles
<b>Suspension</b>	Leaf spring suspension
<b>Brakes</b>	Front and Rear Drum, Double circuit air brake system
<b>Tires and Wheels</b>	7.00R16 Radial tires 1 pcs spare tire with rim
<b>Steering</b>	Power steering gear
<b>Fuel Tank</b>	Capacity: 110 L
<b>Luggage compartment</b>	Volume : 0.65 m <sup>3</sup>

<b>Passenger Capacity</b>	Driver seat: High back, Adjustable driver seat
	Passenger seat : <b>2+2 layout 21+1 seats, or 21+1+5 (with folding seats)</b>
<b>Air Conditioner</b>	<b>Manual AC</b>
<b>Interior trimming and other specification</b>	Front driver door : Left side
	Passenger door : Pneumatic foldable front door
	<b>All seats 2-points safety belts</b>
	Roof urgency exit
	Interior rear-view mirrors
	Driver window: Sliding window
	Radio AM/FM, MP3
	Guard rail
	Sun visor curtain for driver
	Fire extinguisher
	Tool kit: One set per bus
	Warning triangle: One pcs per bus


<b>Additional non included options (paying)</b>	<ul style="list-style-type: none"> <li>- <b>Rear door</b></li> <li>- <b>DVD Player</b></li> <li>- <b>15' foldable LCD</b></li> <li>- <b>Curtains</b></li> <li>- <b>Roof luggage rack</b></li> </ul>
<b>Remark</b>	<ol style="list-style-type: none"> <li>1. King Long reserves the right to change the spec without previous notice;</li> <li>2. The price is based on the warranty period of one (1) year or 100,000km, whichever first.</li> </ol>
<b>Delay</b>	<p>60 days at LC's reception</p> <p>45-50 days shipping transit</p>



# Options seats layout (21+1)



## Options seats layout (21+1+5 folding seats)



**技术要求:**

- 1、安全带，座椅型号、面料、扶手等根据订单要求；
- 2、其中2号座椅靠背需更改，取消靠背后扶手，并按车身调直靠背（国标最小角度），不得超出台阶边。
- 3、后四人椅靠背需按国标最小角度与坐垫固定。
- 4、座椅附件配置状态参见技术订单须知。

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16